

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/723,687	11/28/2000	Harish G. Patil	200308341-1	7608
	7590 10/05/200 CKARD COMPANY	EXAMINER		
P O BOX 272400, 3404 E. HARMONY ROAD			LI, AIMEE J	
	INTELLECTUAL PROPERTY ADMINISTRATION FORT COLLINS, CO 80527-2400		ART UNIT	PAPER NUMBER
			2183	
		1	MAIL DATE	DELIVERY MODE
			10/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

<del></del>		Application No.	Applicant(s)
		09/723,687	PATIL ET AL.
Office Action Summary		Examiner	Art Unit
		Aimee J. Li	2183
Period fo	The MAILING DATE of this communication app	pears on the cover sheet with the	correspondence address
A SH WHIC - Exte after - If NC - Failu Any	IORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period vure to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 36(a). In no event, however, may a reply be till apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status			
	<i>,</i> —	action is non-final.  nce except for formal matters, pro-	
Disposit	ion of Claims		
5)□ 6)⊠ 7)□	Claim(s) 1,4-9,12,13,15-18,21 and 22 is/are per 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed.  Claim(s) 1,4-9,12,13,15-18,21 and 22 is/are region claim(s) is/are objected to.  Claim(s) are subject to restriction and/or	wn from consideration.	
Applicat	ion Papers		
10)⊠	The specification is objected to by the Examiner The drawing(s) filed on 23 April 2002 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction The oath or declaration is objected to by the Example 1.	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority ι	under 35 U.S.C. § 119	•	
a)ĺ	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the prior application from the International Bureau  See the attached detailed Office action for a list of	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
2) 🔲 Notic 3) 🔲 Inforr	et(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) or No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Do 5) Notice of Informal P 6) Other:	ate

Art Unit: 2183

#### **DETAILED ACTION**

1. Claims 1, 4-9, 12-13, 15-18, and 21-22 have been considered. Claims 1 and 18 have been amended as per Applicant's request.

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 4-9, 12-13, 15-18, and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mallick et al., U.S. Patent Number 5,752,014 (herein referred to as Mallick) in view of Intel's Intel® IA-64 Architecture Software Developer's Manual Volume 1: IA-64

  Application Architecture (herein referred to as Intel Volume 1) and in further view of Blaner et al., U.S. Patent Number 5,649,178 (herein referred to as Blaner).
- 4. Referring to claim 1, Mallick has taught a computer system, comprising:
  - a. A processor which includes a hardware branch predictor (Mallick Abstract; column 1, lines 19-31 and 38-55; column 2, line 62 to column 3, line 9; and Figure 1); and
  - b. A program of software instructions executed by said processor, said software instructions including conditional branch instructions (Mallick Abstract; column 1, lines 19-31 and 38-55; column 3, line 53 to column 55, line 24; and Figure 1)
- 5. Mallick has not taught separate static branch prediction instructions. Intel Volume 1 has taught separate static branch prediction instructions, wherein said processor predicts one or more

Art Unit: 2183

condition branch instructions by executing said static branch prediction instructions (Intel Volume 1 pages 4-29 to 4-31, Branch Prediction Hints). A person of ordinary skill in the art at the time the invention was made would have recognized that the information about branch behavior provided by the branch prediction instruction improves branch prediction. Therefore, it would have been obvious to a person of ordinary skill in the art at the time this invention was made to incorporate the branch prediction instructions of Intel Volume 1 in the device of Mallick to improve branch prediction.

- 6. In addition, Mallick has not taught a plurality of groups of static branch prediction bits, each group being configurable to provide prediction information for a separate conditional branch instruction. Blaner has taught a plurality of groups of static branch prediction bits, each group being configurable to provide prediction information for a separate conditional branch instruction (Blaner Abstract; column 2, lines 12-34 and 38-47; column 6, line 20 to column 7, line 18; and Figure 4). A person of ordinary skill in the art at the time the invention was made would have recognized, and as taught by Blaner, that this improves branch prediction accuracy, thereby reducing the performance penalty caused by branch instruction execution and branch misprediction (Blaner column 1, line 48 to column 2, line 8). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the device of Blaner in the device of Mallick to improve branch prediction performance.
- 7. Referring to claim 9, Mallick has taught a processor, comprising:
  - a. Fetch logic that fetches program instructions from a source external to said processor (Mallick Abstract; column 3, line 53 to column 4, line 24; column 5, lines 1-12; and Figure 1);

Art Unit: 2183

b. A dynamic branch predictor coupled to said fetch logic, said dynamic branch predictor supplies predictions regarding conditional branch instructions to said fetch logic (Mallick Abstract; column 1, lines 19-31 and 38-55; column 2, line 62 to column 3, line 9; and Figure 1);

Page 4

- c. An instruction queue coupled to said dynamic predictor, said fetch logic storing fetched instructions in said instruction queue (Mallick Abstract; column 3, line 53 to column 4, line 24); and
- d. An execution unit coupled to said instruction queue and executing instructions provided from said instruction queue (Mallick Abstract column 1, lines 19-31 and 38-55; column 2, line 69 to column 3, line 2; and column 5, lines 25-42);
- 8. Mallick has not taught said fetch logic examines fetched instructions for a predetermined register identifier that identifies that instruction as a static branch prediction instruction. Intel Volume 1 has taught said fetch logic examines fetched instructions for a predetermined register identifier that identifies that instruction (Intel Volume 1 page 4-29). In regards to Intel Volume 1, it must be determined whether a branch prediction instruction exists in order for the processor to chose whether to ignore the instruction or not and it does not matter whether the processor determines this in the fetch or not, because it functions the same. A person of ordinary skill in the art at the time the invention was made would have recognized that the information about branch behavior provided by the branch prediction instruction improves branch prediction. Therefore, it would have been obvious to a person of ordinary skill in the art at the time this invention was made to incorporate the branch prediction instructions of Intel Volume 1 in the device of Mallick to improve branch prediction.

Art Unit: 2183

9. In addition, Mallick has not taught separate static branch prediction information about a plurality of conditional branch instructions. Blaner has taught separate static branch prediction information about a plurality of conditional branch instructions (Blaner Abstract; column 2, lines 12-34 and 38-47; column 6, line 20 to column 7, line 18; and Figure 4). A person of ordinary skill in the art at the time the invention was made would have recognized, and as taught by Blaner, that this improves branch prediction accuracy, thereby reducing the performance penalty caused by branch instruction execution and branch misprediction (Blaner column 1, line 48 to column 2, line 8). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the device of Blaner in the device of Mallick to improve branch prediction performance.

- 10. Referring to claims 4, 12, and 21, Mallick has not taught
  - a. Wherein each group of static branch prediction bits comprises a pair of bits (Applicant's claims 4 and 12);
  - b. Wherein said branch prediction information comprises pairs of bits, each pair corresponding to another instructions (Applicant's claim 21)

### 11. Blaner has taught

- a. Wherein each group of static branch prediction bits comprises a pair of bits

  (Applicant's claims 4 and 12) (Blaner Abstract; column 2, lines 12-34 and 38-47;

  column 6, line 20 to column 7, line 18; and Figure 4);
- b. Wherein said branch prediction information comprises pairs of bits, each pair corresponding to another instructions (Applicant's claim 21) (Blaner Abstract;

Art Unit: 2183

column 2, lines 12-34 and 38-47; column 6, line 20 to column 7, line 18; and Figure 4).

- 12. In regards to Blaner, there are plural prediction bits (Blaner Abstract; column 2, lines 12-34 and 38-47; column 6, line 20 to column 7, line 18; and Figure 4). A person of ordinary skill in the art at the time the invention was made would have recognized, and as taught by Blaner, that this improves branch prediction accuracy, thereby reducing the performance penalty caused by branch instruction execution and branch misprediction (Blaner column 1, line 48 to column 2, line 8). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the device of Blaner in the device of Mallick to improve branch prediction performance.
- 13. Referring to claims 5-6, 13, and 22, Mallick has not taught:
  - a. Wherein said prediction information includes a member selected from the group consisting of: do not use static prediction, predict taken, and predict not taken (Applicant's claims 5, 13, and 22);
  - b. Wherein each pair of prediction bits corresponds to another instruction and each pair of prediction bits is encoded as: 00 and 01 mean do not use static prediction,
    10 means predict taken and 11 means predict not taken (Applicant's claims 6).

### 14. Intel Volume 1 has taught:

a. Wherein said prediction information includes a member selected from the group consisting of: do not use static prediction, predict taken, and predict not taken (Applicant's claim 5, 13, and 22) (Intel Volume 1 page 4-30 to page 4-31, Branch Prediction Instructions).

Art Unit: 2183

b. Wherein each pair of prediction bits corresponds to another instruction and each pair of prediction bits is encoded as: 00 and 01 mean do not use static prediction, 10 means predict taken and 11 means predict not taken (Applicant's claims 6) (Intel Volume 1 page 4-30 to page 4-31, Branch Prediction Instructions). In regards to Intel Volume 1, the exact bit representations does not matter, because the functionality is the same. The exact bit representations are more of a design choice than inventive matter.

Page 7

- 15. A person of ordinary skill in the art at the time the invention was made would have recognized that the information about branch behavior provided by the branch prediction instruction improves branch prediction. Therefore, it would have been obvious to a person of ordinary skill in the art at the time this invention was made to incorporate the branch prediction instructions of Intel Volume 1 in the device of Mallick to improve branch prediction.
- 16. Referring to claims 7, 15, and 17 Mallick has not taught:
  - a. Wherein said static branch prediction bits comprises static branch prediction
    information that comprises encoded information directing the processor to ignore
    the predictions supplied by the hardware branch predictor (Applicant's claims 7
    and 15);
  - b. Wherein said predetermined identifier comprises a register identifier (Applicant's claim 17).

# 17. Intel Volume 1 has taught:

a. Wherein said static branch prediction bits comprises static branch prediction information that comprises encoded information directing the processor to ignore

Art Unit: 2183

the predictions supplied by the hardware branch predictor (Applicant's claims 7 and 15) (Intel Volume 1 page 4-30 to page 4-31, Branch Prediction Instructions).

Page 8

- b. Wherein said predetermined identifier comprises a register identifier (Applicant's claim 17) (Intel Volume 1 page 4-29).
- 18. A person of ordinary skill in the art at the time the invention was made would have recognized that the information about branch behavior provided by the branch prediction instruction improves branch prediction. Therefore, it would have been obvious to a person of ordinary skill in the art at the time this invention was made to incorporate the branch prediction instructions of Intel Volume 1 in the device of Mallick to improve branch prediction.
- 19. Referring to claims 8 and 16, Mallick has taught wherein said hardware branch predictor comprises a log in which the results of all executed conditional branch instructions are stored (Mallick column 2, lines 10-15; column 6, lines 63-67; column 7, lines 36-54; Figure 2, element 68; and Figure 3).
- 20. Referring to claim 18, Mallick has taught a method of predicting the outcome of conditional branch instructions, comprising:
  - a. Including a static branch predictor software instruction in a program, said branch prediction software instruction (Intel Volume 1 pages 4-30 to 4-31, Branch Prediction Instructions);
  - b. Fetching said branch prediction software instructions (Mallick Abstract; column3, line 53 to column 3, line 24; column 5, lines 1-12; and Figure 1);
  - c. Decoding said branch prediction software instructions to determine if said decoded instruction is a branch prediction software instruction (Mallick Abstract;

Art Unit: 2183

column 1, lines 19-31 and 38-55; column 2, line 62 to column 3, line 9; column 3, line 53 to column 4, line 24; column 5, lines 13-24; and Figure 1); and

Page 9

- d. If said decoded instruction is not a branch prediction software instruction, then executing said decoded instruction (Mallick Abstract; column 1, lines 19-31 and 38-55; column 2, line 62 to column 3, line 9; column 3, line 53 to column 4, line 24; column 5, lines 13-24; and Figure 1).
- 21. Mallick has not taught if said decoded instruction is a branch prediction software instruction, then predicting at least one conditional branch instructing based on said branch prediction information for branch prediction. Intel Volume 1 has taught if said decoded instruction is a branch prediction software instruction, then using said branch prediction information for branch prediction (Intel Volume 1 pages 4-30 to 4-31, Branch Prediction Instructions). A person of ordinary skill in the art at the time the invention was made would have recognized that the information about branch behavior provided by the branch prediction instruction improves branch prediction. Therefore, it would have been obvious to a person of ordinary skill in the art at the time this invention was made to incorporate the branch prediction instructions of Intel Volume 1 in the device of Mallick to improve branch prediction.
- 22. In addition, Mallick has not taught branch prediction information configurable to pertaining to a plurality of conditional branch instructions in the program. Blaner has taught branch prediction information configurable to pertaining to a plurality of conditional branch instructions in the program (Blaner Abstract; column 2, lines 12-34 and 38-47; column 6, line 20 to column 7, line 18; and Figure 4). A person of ordinary skill in the art at the time the invention was made would have recognized, and as taught by Blaner, that this improves branch prediction

Art Unit: 2183

accuracy, thereby reducing the performance penalty caused by branch instruction execution and branch misprediction (Blaner column 1, line 48 to column 2, line 8). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the device of Blaner in the device of Mallick to improve branch prediction performance.

## Response to Arguments

- 23. Examiner withdraws the rejections under 35 U.S.C. §101 in favor of the amended claims.
- 24. Applicant's arguments filed 17 July 2007 have been fully considered but they are not persuasive.
- 25. Applicant argues in essence on pages 7-9
  - ...Intel Volume I simply does not teach the quoted limitation of claim 1...The invention of claim 1 is a different and more efficient way to encode branch prediction information than is taught by Intel Volume I.
- 26. This has not been found persuasive. As seen in the rejection above, the Examiner did not rely upon Intel to teach the plurality of groups of static branch prediction bits, but, instead, relied upon Blaner. Intel Volume I was relied upon to teach static branch prediction instructions, i.e. instructions that predict branches statically. The arguments attempt to support that the Examiner is asserting Intel Volume I teaches the plurality of groups of static branch prediction bits by quoting a portion of the Examiner's response to arguments in the previous Office Action dated 18 April 2007. However, this quote is omits that the Examiner states this is true when "assuming Applicants' arguments are true". The Examiner made this statement in response to the

Art Unit: 2183

arguments, and was attempting to show that the claim limitations the Examiner relied Intel Volume I to teach are still taught even when assuming the Applicants' arguments are true.

27. Applicant argues in essence on pages 7-9

...Blaner does not even teach or suggest the use of processor-executed static branch prediction instructions. Instead, Blaner teaches the use of dynamic branch prediction hardware...

- 28. This has not been found persuasive. As seen in the rejection above, the Examiner did not rely upon Blaner to teach the static branch prediction instruction, but, instead, relied upon Intel Volume I. Blaner was relied upon to teach the plurality of groups of static prediction bits and their functionality. The fact that Blaner teaches the plurality of groups of static prediction bits in dynamic branch prediction hardware instead of a software instruction does not matter. As Tanenbaum teaches, hardware or software implementation of functionality does not matter, since they are logically equivalent. The decision between hardware or software implementation is a design choice.
- 29. The Examiner would also like to note, in general, the arguments appear to argue against a combination rejection by attacking each reference individually, since the arguments merely state that a limitation that the Examiner had previously stated was not by a reference was not taught in that reference. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Art Unit: 2183

30. Also, what little arguments there were of the combination rejection, Applicants' arguments seem to suggest that the hardware of Blaner cannot be bodily incorporated into the software of Intel Volume I. In response to applicant's argument that Blaner teaches a hardware implementation while Intel Volume I teaches a software implementation, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPO 871 (CCPA 1981).

#### Conclusion

- 31. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 32. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2183

33. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aimee J. Li whose telephone number is (571) 272-4169. The examiner can normally be reached on M-T 7:00am-4:30pm.

- 34. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 35. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Aimee J Li Examiner Art Unit 2183

Simo J. Li

30 September 2007